



Shaping the Future of Forest Intelligence



Remsoft Logistics: Introduction & Upcoming

Maintaining the most accurate picture of Fiber Flow

RGFC '26 / March 25th, 2026



Craig Hull

Product Manager: Remsoft Logistics Sales Director



Grant Hull


Grant Hull – VP of Product, Remsoft

Some Key Capabilities

Short explanation of some key capabilities not yet presented

Log Volume Scaling

Use the Infield app to perform Log Scaling and Cataloguing. Suited to use in the forest or at Mills and Ports.



Scale Load Details

Logs In Load 40
Volume 28.60
Load Reference



Logs List

Log No.	Product	Species	Actual length	Diameter	Volume	Hammer Code
2124130	CAT 8	E. OBLIQUA	5.4	38.0	0.68	Norris 3
2129136	CAT 8	E. OBLIQUA	5.5	39.0	0.75	Norris 3
2129134	CAT 8	E. OBLIQUA	5.4	40.0	0.75	Norris 3
2124142	CAT 8	E. OBLIQUA	4.9	44.0	0.84	Norris 3
2124133	CAT 8	E. OBLIQUA	5.5	49.0	1.17	Norris 3
2124177	CAT 8	E. OBLIQUA	5.9	42.0	0.92	Norris 3
2124178	CAT 8	E. OBLIQUA	5.6	38.0	0.72	Norris 3
2124179	CAT 8	E. OBLIQUA	5.9	46.0	1.10	Norris 3
2124180	CAT 8	E. OBLIQUA	6.7	55.0	1.73	Norris 3
2128181	CAT 8	E. OBLIQUA	6.9	45.0	1.23	Norris 3
2128182	CAT 8	E. OBLIQUA	5.9	46.0	1.10	Norris 3
2128183	CAT 8	E. OBLIQUA	7.1	45.0	1.29	Norris 3
2128184	CAT 8	E. OBLIQUA	5.5	35.0	0.61	Norris 3
2128185	CAT 8	E. OBLIQUA	5.4	35.0	0.58	Norris 3
2128186	CAT 8	E. OBLIQUA	4.6	30.0	0.38	Norris 3
2128187	CAT 8	E. OBLIQUA	6.4	34.0	0.65	Norris 3
2128188	CAT 8	E. OBLIQUA	5.3	30.0	0.43	Norris 3
2128189	CAT 8	E. OBLIQUA	5.4	32.0	0.49	Norris 3
2128190	CAT 8	E. OBLIQUA	6.0	5.6	0.03	Norris 3
2128191	CAT 8	E. OBLIQUA	4.9	46.0	0.92	Norris 3
2128192	CAT 8	E. OBLIQUA	5.8	39.0	0.76	Norris 3
2128193	CAT 8	E. OBLIQUA	5.3	35.0	0.58	Norris 3
2128194	CAT 8	E. OBLIQUA	6.1	32.0	0.55	Norris 3
2128195	CAT 8	E. OBLIQUA	6.5	28.0	0.48	Norris 3
2128196	CAT 8	E. OBLIQUA	5.4	46.0	0.98	Norris 3
2128197	CAT 8	E. OBLIQUA	5.4	28.0	0.38	Norris 3
2128198	CAT 8	E. OBLIQUA	5.5	39.0	0.75	Norris 3
2128199	CAT 8	E. OBLIQUA	5.9	37.0	0.72	Norris 3
2128200	CAT 8	E. OBLIQUA	4.5	25.0	0.25	Norris 3
2128201	CAT 8	E. OBLIQUA	5.8	38.0	0.72	Norris 3

ON SITE (GROSSED)

Log Sampling

Search samples... + Manual Entry Export CSV < 21/03/2026

W53FG 12:56 AM
Burns - PCT - G0828
HARDWOOD CHIP - EUCALYPTUS GLOBULUS (BLUE GUM)

W94KI
QUBeforestryPTLTD
82 - WHOLE TREE CHIP

W31PZ
MANGA_6299/1
CHIP - EUCALYPTUS GLOB

SB77MC
Timberlink Mill - Tarpeena
SOFTWOOD CHIP - PINUS

W45WI
BROERS_6426/0
UNTHINNED CHIP - EUCALY

DELIVERED

W34PZ
McEncroe 527001002
80 - WHOLE TREE CHIP

W28II
Hobbs - PCT - G0021
HARDWOOD CHIP - EUCALY

W79MM
RIVERDALE_6269/1
CHIP - EUCALYPTUS GLOB

W96UY
Timberlink Mill - Tarpeena
SOFTWOOD CHIP - PINUS RADIATA

AUJLA2 12:00 AM
MANGA_6299/1

REGISTRATION **W15LK** SAMPLED AT **02:37 AM** PRODUCT **Chip - Eucalyptus Globulus** TOTAL VOLUME **1.414 m³**

SOURCE: QUBeforestryPTLTD 2056

2 Loads Sampled

Edit Sample Load

REGO **W94KI** SOURCE **QUBeforestryPTLTD 2056** PRODUCT **82 - Whole Tree Chip** WEIGHTS **- / -** NET **-**

SOURCE **QUBeforestryPTLTD 2056** PRODUCT **82 - Whole Tree Chip**

IDENTIFICATION (REGO) **W94KI**

RECORD NEW LOG
33 19 5

BARK On Off

[+ Add Log to Inventory](#)

Inventory (3) Total: 1.257 m³

#	30m	20cm	ON	20%	VOL
#1			ON	20%	0.942
#2	20m	10cm	ON	5%	0.157
#3	20m	10cm	OFF	5%	

EDIT

VOLUME

0.942

0.157

0.157


EDIT

Cancel Update Inventory

1 Loads Sampled

Sampling & Volume Scaling

Use Infield App for Log Scaling. Suited to use in forest or at Mills and Ports, including other QA Sampling practices.



ON SITE (GROSSED)

Log Sampling

Search samples... + Manual Entry Export CSV < 21/03/2026

W53FG 12:56 AM
Burns - PCT - G0828
HARDWOOD CHIP - EUCALYPTUS GLOBULUS (BLUE GUM)

W94KI
QUBeforestryPTLTD 82 - WHOLE TREE CHIP

W31PZ
MANGA_6299/1
CHIP - EUCALYPTUS GLOBULUS

SB77MC
Timberlink Mill - Tarpeena
SOFTWOOD CHIP - PINUS SP.

W45WI
BROERS_6426/0
UNTHINNED CHIP - EUCALYPTUS GLOBULUS

DELIVERED

W34PZ
McEnroe 527001002
80 - WHOLE TREE CHIP

W28II
Hobbs - PCT - G0021
HARDWOOD CHIP - EUCALYPTUS GLOBULUS

W79MM
RIVERDALE_6269/1
CHIP - EUCALYPTUS GLOBULUS

W96UY
Timberlink Mill - Tarpeena
SOFTWOOD CHIP - PINUS RADIATA

AUJLA2 12:00 AM
MANGA_6299/1

REGISTRATION **W15LK** **SAMPLED AT** 02:37 AM **PRODUCT** Chip - Eucalyptus Globulus **TOTAL VOLUME** 1.414 m³

2 Loads Sampled

SOURCE: QUBeforestryPTLTD 2056

Edit Sample Load

REGO **W94KI** SOURCE **QUBeforestryPTLTD 2056** PRODUCT **82 - Whole Tree Chip** WEIGHTS **- / -** NET **-**

SOURCE **QUBeforestryPTLTD 2056** PRODUCT **82 - Whole Tree Chip**

IDENTIFICATION (REGO) **W94KI**

RECORD NEW LOG
33 19 5

BARK On Off

[+ Add Log to Inventory](#)

Inventory (3) Total: 1.257 m³

#	30m	20cm	ON	20%	VOL
#1					0.942
#2	20m	10cm	ON	5%	0.157



0.942
0.157
0.157

Cancel Update Inventory


Sampling & Volume Scaling
Use Infield App for Log Scaling. Suited to use in forest or at Mills and Ports, including other QA Sampling practices.



Stocks & Forecasts



TAP



Dashboards

Weighbridge Feed

Incoming

Deliveries

Chip Sampling

Logmeter

Quotas

Summaries

LOGR Records

Harvest Areas

Stock and Forecasts

Approved Registrations

Site Settings

Reporting

Stock and Forecasts

VIEW BY

Product

Location

Search



Location	Stock	Forecast	Total	Note	Confirmed
^ CAT 1 APP					
483453 - TA011C (location 1)	4.8 m ³	5 m ³	9.8 m ³		Charlie Brown • 1 Sep 4:39 pm
RU049G (location 2)	10 m ³	5 m ³	15 m ³	7m log next week - 3 Sep	Pending John Smith • 1 Sep 5:10 pm
SK001B (location 3)	10 m ³	5 m ³	15 m ³	?	Sally Brown • 18 Aug 4:35 pm
^ CAT 2					
483453 - TA011C (location 1)	4.8 m ³	5 m ³	9.8 m ³		Charlie Brown • 1 Sep 4:39 pm
RU049G (location 2)	10 m ³	5 m ³	15 m ³		John Smith • 1 Sep 5:10 pm
SK001B (location 3)	20 m ³	0 m ³	20 m ³		Sally Brown • 18 Aug 4:35 pm
24.8 m³ 15 m³ 39.8 m³					
25 t 2 t 27 t					
location 1)	5 t	0 t	0 t		Charlie Brown • 1 Sep 4:39 pm
	10 t	0 t	10 t	Ahead of plan - 15 Aug	John Smith • 1 Sep 5:10 pm
	15 t	2 t	17 t		Sally Brown • 18 Aug 4:35 pm
6 pcs 4 pcs 10 pcs					
location 1)	3 pcs	1 pcs	4 pcs		Charlie Brown • 1 Sep 4:39 pm
RU049G (location 2)	1 pcs	2 pcs	3 pcs		John Smith • 1 Sep 5:10 pm
SK001B (location 3)	2 pcs	1 pcs	3 pcs		Sally Brown • 18 Aug 4:35 pm

Stocks and Forecasts

View the results across in the cloud and within sales and harvest planning activities.



Site Automation

EDGE is a multipurpose compute device good for other processing and peripherals

Boom Gates

Trip Sensors

Traffic Lights

Integrated Systems

AI & Machine Learning

RFID Tags

Printers

Digital Dockets & event notifications

Keep anyone informed as it happens, which also allows digital paper to replace legacy paper.

HVP

Docket Record
 Mon, 27 May 2024 15:51:23 +1000
 Supplier HVP Staging
 Docket 344232
 Product 801845
 Code 118E22
 Received Mon, 27 May 2024 00
 Delivered Mon, 27 May 2024 00

Compartment HADY100042
 Compartment Year 1993
 Operation Any

Contractors
 (Harvest) PLANTATION HARVESTING GIFFELAND PTY LTD
 (Loader) CENTURION FORESTRY PTY LTD
 (Haulier) GREENFREIGHT PTY LTD

Delivery Location CHR Hyttlefjord

Gross Weight 68 t
Tare Weight 20 t
Net Weight 48 t

Driver Driver for testing
Registration JES002

Docket was not created in compartment.



 **James Jones & Sons Limited**

Advice Note 357776

Supplier James Jones & Sons Ltd
Site FLD Barksheds F42973
Uplift Time Sat, 25 May 2024 09:42:42 +0100
Harvester James Jones & Sons Ltd (MTR)

PFC100 PFC 100% SA-COC-005014
PFC Controlled Wood
PFC Mix 70%
100% PEFC CERTIFIED 100% PEFC SA-PEFC-COC-005014

Haulier James Jones & Sons Ltd (MTR)
Driver Craig Shand
Vehicle Reg 2X2300X

Delivered To 86 Airport Log Storage - Dalveen
Delivered Time Sat, 25 May 2024 12:13:22 +0100

Contract No. 2710243
Product 5.3m Douglas Fir
Gross Weight 43,240
Tare Weight 21,240
Net Weight 22,100

Driver Comments

UK PLANT PASSPORT

A. Photo B. FC100476 C. 357776 D. GB

JAMES JONES & SONS LIMITED
 BRIDGEMAN AVE, LAWSON, STIRLING, MIDlothIAN FK9 4JG
 TEL: 01754 86281



 **Euroforest**
sustainable excellence

Euroforest SAW Number 2010000
FCR Number
LOGR Pin Number

Supplier EUROFOREST LTD
Contract No. 2250243
Contract Name 2250243- Brownhill 2024
Uplift Time Fri, 24 May 2024 14:30:11 +0100
Harvester

PFC100% SA-COC-014304
100% PEFC SA-PEFC-COC-014304

Haulier GRANTY BALLINDALOCK TIMBER BAGLAGE LTD
Driver Jason Waite
Vehicle Reg SW888A

Delivered To WEST FRASER DALROSS
Delivered Time Fri, 24 May 2024 19:29:13 +0100
Customer Weighbridge # 1245408
Customer Reference # 07A033846

Product Chipwood + MIXED COB + L 3m
Gross Weight 43,240
Tare Weight 19,220
Net Weight 24,140

Comments


UK PLANT PASSPORT

A. Photo B. FC10040 C. 2010000 D. GB

Continental UK, Parkside House, 17 Parkside Drive, Parkhouse, Carlton, COLESHILL, TEL: 01208 210707



API Ecosystem



Business Central


PRONTO
SOFTWARE




For Contractors & Drivers

The easiest & most accurate system for documenting loads


Started as a simple paper replacement



Digital Paper



Integration of systems



Multiparty Record

Definable Origin & Delivery Locations

LOGR Acme Corp eDoc Admin **admin** Alex-smith

Acme Corp

Arrowmore 96

Compartment

Name*
Arrowmore 96

Year
2004


Enforce geofence to create docket

Active

Outbound Loads (tare 1st, gross 2nd) ⓘ

Active Date Range (optional)
Open From Open To

Boundary File (Geofence)
Hide boundary tools

Map Satellite 


Replace map by uploading KML/KMZ file

Operation Types
[T2] Second Thinning ✕

Driver Prompts
Select Some Options

Harvesters
Harvesters R Us ✕

Haulers
HaulageCo ✕



Used to control the wizard flow of the Driver App

New Docket Next

Delivery Location

- Seaford Chip Terminal
- Netherby Hwy Sawmill (LOGR Air weighbridge)

← Back Next →


New Docket Next

Product

- Sawlog General
- Sawlog A Grade 4.8m
- Sawlog A Grade 5.9m

← Back Next →

Drivers are guided in the app to the unique flows of each Delivery Location



- Dashboards
- Weighbridge Feed
- Incoming
- Deliveries
- Scheduling**
- Quotas
- Summaries
- LOGR Records

Load Scheduling for QUOTA 100

This Week

Operation: N9SLEN 569

Product	Hauler	Units	Mon	Tues	Wed	Thurs	Fri	Any day	Totals	DL Target	Local Stock	Total Stock
Netherby Hwy Mill												
Sawlog Nitens SED 20-5.8	Growana	Loads ▾	3	-	-	1	-	-	4	8 / 12	12 / 14	25 / 32
Pulp Nitens Short	HB Haulage	Loads ▾	-	1	-	-	-	-	1	4 / 6	16 / 14	32 / 36
Bella Bay Mill												
Sawlog Nitens SED 20-5.8	Growana	Loads ▾	-	3	1	-	-	-	4	5 / 3	12 / 14	25 / 32
Pulp Nitens Short	HB Haulage	Loads ▾	-	-	3	-	3	-	6	12 / 12	16 / 14	32 / 36
Totals			3	4	4	1	3	-	15			


Operation: N9SLEN 568

Hauler	Units	Mon	Tues	Wed	Thurs	Fri	Any day	Totals	DL Target	Local Stock	Total Stock
Growana	Loads ▾	-	-	-	3	1	-	4	8 / 12	13 / 18	25 / 32
HB Haulage	Loads ▾	-	1	-	-	2	-	3	4 / 6	16 / 22	32 / 36
Growana	Loads ▾	1	-	-	-	-	-	1	5 / 3	13 / 18	25 / 32
Pulp Nitens Short	HB Haulage	Loads ▾	-	3	-	3	-	6	12 / 12	16 / 22	32 / 36

Schedule based on Stock Availability

Stock calls feed into LOGR Air where key product and volume availability is summarised and displayed.


Weight Management for CoR



The objective to more intentionally capture the weight and safety of the load before transit commences.

Add to the record to protect their business

NEW



Hauler Stories



For Customers

New opportunities to use event-based data to streamline processes


Netherby Hwy Mill - Flow



See Incoming Loads

Active loads can be seen by Delivery Locations, providing ETAs & congestion warnings.

Incoming Loads

XT88AH	ForestCo	Josh Roe	G132977	< 1km
XT02PB	ForestCo	Brett Line	G132977	< 1km
XT90KB	Polentro	Richard Kneesby	G132977	2 km
XT98EA	Polentro	Rob Thomas	G132977	4 km
XT98KB	ForestCo	Simran Singer	G132977	7 km
XT88HA	Polentro	Billy Bob	G132977	8 km
XT23GS	ForestCo	Glenn Munns	G132977	12 km
XV88AG	ForestCo	Flip Haynes	G132977	16 km
XT23YU	ForestCo	Steve Smith	G132977	17 km
XT98HG	Polentro	Darren Hollow	G132977	23 km
XT90YU	Polentro	Shevaugn Schul	G132977	37 km
FX57YU	Polentro	Jay Quellen	G132977	41 km







Queuing For Flow
 Provide more fair access to suppliers at mills and yards. Using actual contract ratios from Load Schedules

Live information feed directly into Yard Management



The LOGYARD app used by OFO at Jubilee Mill in Mount Gambier



Instant Reconciliation
Both parties obtain an auditable version of the record, synchronized at the weigh scale.

Multiparty Views of planned Loads from all Suppliers

The multiparty view of intended supply allows a delivery location early indication of expected flow.

Then as deliveries occur, all parties will be updated of progress against what was planned.

Supplier: Polentro										
Product	Hauler	Units	Mon	Tues	Wed	Thurs	Fri	Any day	Totals	Target
N9SLEN 569										
Sawlog Nitens SED 20-5.8	Growana	Loads	2	-	-	-	-	-	2	2 / 2
Pulp Nitens Short	HB Haulage	Loads	4	1	-	-	-	-	5	5 / 5
N9SLEN 568										
Sawlog Nitens SED 20-5.8	Growana	Loads	2	-	-	-	-	-	2	2 / 2
Pulp Nitens Short	HB Haulage	Loads	-	-	3	2	-	-	5	5 / 5
Totals			8	1	3	2	-	-	14	

Supplier: ForestCo										
Product	Hauler	Units	Mon	Tues	Wed	Thurs	Fri	Any day	Totals	Target
Carmon 36										
Sawlog Nitens SED 20-5.8	Titan Contracting	Loads	-	4	1	-	-	-	5	5 / 4
Pulp Nitens Short	Titan Contracting	Loads	-	-	3	4	-	-	7	7 / 10
Totals			-	4	4	4	-	-	12	




Delivery Location: Netherby Hwy Mill										
Product	Units	Mon	Tues	Wed	Thurs	Fri	Any day	Totals	Target	
▼ Sawlog Nitens SED 20-5.8	Loads	4	4	1	-	-	-	9	9 / 8	
▼ Pulp Nitens Short	Loads	4	1	6	6	-	-	17	17 / 20	
Totals			8	5	7	6	-	-	26	

A Consolidated View

Individual supply is rolled up to single totals based on product.

Customer Stories




For All Parties

All parties on the same page with: planning | execution | reconciliation

Leading (CoC) Chain of Custody Record

Use of GEO data supplied from FMS and Operational Data to control what happens in the real world.



Supplier Certifications

FSC 100%

FSC Controlled Wood

100% PEFC

PEFC Controlled Sources

SFI Certified

ATFS/PEFC 100%

PEFC/RW 100%

LOGR Acme Corp eDoc Admin **admin** Alex-smith

Acme Corp

Details

Name: Acme Corp (default)
Address: 20 Yellowbrick RD
Contact Number: (08) 8300 400
Email: hello@acmecorp.com
Company registration number: 123456789
Logo Url: <http://acmecorp.com>


Supplier Certifications

Certification type	Code	Status
Select Certification	Enter code	<input checked="" type="checkbox"/> Active Add
FSC 100%		
FSC Controlled Wood		
100% PEFC		
PEFC Controlled Sources		
100% RW/PEFC		
RW/PEFC Controlled Sources		

Plant Passport Country: GB
Plant Passport Registration: FC103455

The CoC Journey

Passing the CoC and GEO information from party to party



Multiparty Stories

